

Literatur „Wenn Lieder Zwischenräume eröffnen“

Baird, A., & Samson, S. (2009). Memory for music in Alzheimer's disease: Unforgettable? *Neuropsychology Review*, 19, 85–101. <https://doi.org/10.1007/s11065-009-9085-2>

Bossinger, W. (2006). *Die heilende Kraft des Singens: Von den Ursprüngen bis zu modernen Erkenntnissen über die soziale und gesundheitsfördernde Wirkung von Gesang*. Traumzeit-Verlag.

Clift, S., & Hancox, G. (2010). The significance of choral singing for sustaining psychological wellbeing: Findings from a survey of choristers in England, Australia and Germany. *Music Performance Research*, 3(1), 79–96. <http://musicperformanceresearch.org/wp-content/uploads/2020/11/Clift-Vol.-3.1-79-96.pdf>

Clift, S., Skingley, A., Price, S., & Williams, G. (2016). *Singing and health: A systematic mapping and review of non-clinical research*. Sidney De Haan Research Centre for Arts and Health, Canterbury Christ Church University.

Dassa, A., & Amir, D. (2014). The role of singing familiar songs in encouraging conversation among people with middle to late stage Alzheimer's disease. *Journal of Music Therapy*, 51(2), 131–153. <https://doi.org/10.1093/jmt/thu007>

Fancourt, D., & Finn, S. (2019). *What is the evidence on the role of the arts in improving health and well-being? A scoping review*. (Health Evidence Network Synthesis Report, No. 67). WHO Regional Office for Europe. <https://iris.who.int/handle/10665/329834>

Grape, C., Sandgren, M., Hansson, L.-O., Ericson, M., & Theorell, T. (2003). Does singing promote well-being? An empirical study of professional and amateur singers during a singing lesson. *Integrative Physiological and Behavioral Science*, 38(1), 65–74. <https://doi.org/10.1007/BF02734261>